

# PORTLAND CEMENT CONCRETE PLANT EVALUATION

EFFECTIVE DATE: 10/3/2012

Submitted on Mainframe

| <u>Code</u> | <u>Sticker Expires</u> | <u>Plant Location</u>                    | <u>Rating</u> | <u>Std. Dev</u> | <u>Comments</u>  |
|-------------|------------------------|--|---------------|-----------------|--|
| A072A       | 1/10/13                | Adams Trucking<br>Barboursville, WV      | A-2           | 887.1           | Class B w/FA (6.00 bags) reduce to 5.50 bags   |
| A104A       | 9/5/12                 | Essroc Ready Mix<br>Morgantown, WV       | A-2           | 885.2           | Maintain current design cement factors   |
| A104B       | 11/25/12               | Essroc Ready Mix<br>Gallipolis, OH       | A-2           | 610.3           | Class B w/FA (6.00 bags) reduce to 5.50 bags<br>Maintain current design cement factors |
| A104C       | 11/17/12               | Essroc Ready Mix<br>New Martinsville, WV | A-2           | 650.0           | Maintain current design cement factors   |
| A104E       | 11/17/12               | Essroc Ready Mix<br>McMechen, WV         | A-2           | 784.7           | Class B w/FA (6.00 bags) reduce to 5.50 bags<br>Maintain current design cement factors |
| A104H       | 3/13/13                | Essroc Ready Mix<br>Winfield, WV         | A-2           | 697.6           | Class B w/FA (6.00 bags) reduce to 5.50 bags<br>Maintain current design cement factors |
| A104L       | 1/23/13                | Essroc Ready Mix<br>Parkersburg, WV      | A-2           | 694.1           | Class B w/FA (6.00 bags) reduce to 5.50 bags<br>Maintain current design cement factors |
| A128A       | 9/13/12                | Alcon<br>Lorentz, WV                     | A-2           | 650.0           | Maintain current design cement factors   |
| A128B       | 3/6/12                 | Alcon<br>Saltwell, WV                    | B             | 922.4           | Maintain current design cement factors   |
| A128C       | 3/6/12                 | Alcon<br>Morgantown, WV                  | B             | 614.7           | Maintain current design cement factors   |
| A291A       | 10/8/12                | Valley Concrete<br>Wheeling, WV          | A-2           | 650.0           | Maintain current design cement factors   |
| B219B       | 4/20/12                | Boxley Materials<br>Beckley, WV          | B             | 729.5           | Maintain current design cement factors   |
| B219C       | 10/23/12               | Boxley Materials<br>Alta, WV             | A-2           | 650.0           | No design data submitted   |

|       |          |                                      |     |        |  |
|-------|----------|--------------------------------------|-----|--------|--|
| B219D | 7/30/12  | Boxley Materials<br>Beckley, WV      | B   | 650.0  | No design data submitted   |
| C089F | 1/6/13   | Central Supply<br>Saltwell, WV       | A-2 | 1007.2 | Maintain current design cement factors   |
| C089G | 7/3/12   | Central Supply<br>Morgantown, WV     | B   | 840.8  | Maintain current design cement factors   |
| C383A | 7/24/12  | Cumberland Concrete<br>Lavale, MD    | B   | 650.0  | No design data submitted   |
| D004A | 12/21/10 | David Hill<br>Mabscott, WV           | B   | 650.0  | No design data submitted   |
| D004B | 12/21/10 | David Hill<br>Mabscott, WV           | B   | 650.0  | No design data submitted   |
| D069B | 2/5/13   | Dickey Concrete<br>Steubenville, OH  | A-2 | 650.0  | Maintain current design cement factors   |
| D156A | 4/25/12  | David Lee Co. Concrete<br>Inwood, WV | B   | 650.0  | No design data submitted   |
| E016O | 3/4/13   | Central Supply<br>Elkins, WV         | A-2 | 742.2  | Maintain current design cement factors   |
| F011E | 3/18/13  | Fairfax Concrete<br>Thomas, WV       | A-2 | 650.0  | No design data submitted   |
| F011F | 3/18/13  | Fairfax Concrete<br>Oakland, MD      | A-2 | 650.0  | No design data submitted   |
| F011G | 1/27/13  | Allegany Concrete<br>Short Gap, WV   | A-2 | 688.9  | Class B mod 4500 (7.00 bags) increase to 7.25 bags<br>Class B 3000w/GBFS (6.00 bags) reduce to 5.50 bags<br>Maintain current design cement factors |
| F011I | 9/29/11  | Fairfax Concrete<br>Moorefield, WV   | B   | 650.0  | No design data submitted   |
| F011J | 10/10/12 | Fairfax Concrete<br>Scherr, WV       | A-2 | 667.2  | Class B 3000w/GBFS (6.00 bags) reduce to 5.50 bags<br>Maintain current design cement factors   |

|       |          |                                      |     |       |  |
|-------|----------|--------------------------------------|-----|-------|--|
| F137A | 12/22/10 | Chandler Concrete<br>Rocky Gap, Va.  | B   | 650.0 | No design data submitted   |
| G023O | 11/17/12 | Greenbrier Ready Mix<br>Caldwell, WV | A-2 | 650.0 | No design data submitted   |
| G170O | 3/25/13  | Central Supply<br>Gassaway, WV       | A-2 | 650.0 | Maintain current design cement factors   |
| G179A | 9/20/12  | Central Supply<br>Glennville, WV     | A-2 | 777.4 | Maintain current design cement factors   |
| G185A | 11/2/12  | Golden Triangle<br>Millville, WV     | A-2 | 650.0 | No design data submitted   |
| H115B | 9/14/12  | Hinkle Contracting<br>Red Jacket, WV | A-2 | 650.0 | Maintain current design cement factors   |
| H124B | 10/13/12 | Hi-Way Paving<br>Scherr, WV          | A-2 | 650.0 | No design data submitted   |
| J067A | 1/28/11  | Jowar Ready Mix<br>laeger, WV        | B   | 650.0 | No design data submitted   |
| L046O | 10/12/12 | Logan Concrete<br>Logan, WV          | A-2 | 585.1 | Class B w/FA (6.00 bags) reduce to 5.50 bags<br>Maintain current design cement factors |
| L144B | 10/26/12 | Boxley Materials<br>Summersville, WV | A-2 | 650.0 | Maintain current design cement factors   |
| L144C | 10/30/12 | Boxley Materials<br>Wolfpen, WV      | A-2 | 656.2 | Maintain current design cement factors   |
| M188O | 11/14/12 | Madison Ready Mix<br>Madison, WV     | A-2 | 650.0 | No design data submitted   |
| M309A | 10/4/12  | Moore's Ready Mix<br>Greenbank, WV   | A-2 | 650.0 | No design data submitted   |
| P017A | 3/18/13  | Essroc Ready Mix<br>Charleston, WV   | A-2 | 577.4 | Maintain current design cement factors   |

|       |          |                                      |     |       |   |
|-------|----------|--------------------------------------|-----|-------|---|
| P197A | 11/15/12 | Boxley Materials<br>Princeton, WV    | A-2 | 952.9 | Maintain current design cement factors  |
| P337A | 9/8/12   | The Wells Group<br>S. Williamson, WV | A-2 | 650.0 | No design data submitted                |
| P337C | 9/8/12   | The Wells Group<br>Lovely, WV        | A-2 | 650.0 | No design data submitted                |
| R165A | 3/26/13  | Rumble Ready Mix<br>Winfield, WV     | A-2 | 855.9 | Maintain current design cement factors  |
| R165C | 10/19/12 | Rumble Ready Mix<br>Belle, WV        | A-2 | 650.0 | Maintain current design cement factors  |
| S049A | 2/27/13  | Smith Concrete<br>Porterfield, OH    | A-2 | 529.2 | Class B (6.00 bags) reduce to 5.50 bags |
| S049B | 2/27/13  | Smith Concrete<br>Reno, OH           | A-2 | 535.1 | Maintain current design cement factors  |
| S057O | 11/16/12 | Superior Supply<br>Caldwell, WV      | A-2 | 952.4 | Maintain current design cement factors  |
| S087A | 10/9/12  | Alcon<br>Aggregate, WV               | A-2 | 784.5 | Maintain current design cement factors  |
| S174A | 1/2/13   | Claxton Smith<br>Culloden, WV        | A-2 | 650.0 | No design data submitted                |
| S174C | 10/9/12  | Claxton Smith<br>Charleston, WV      | A-2 | 650.0 | Maintain current design cement factors  |
| S174O | 1/12/13  | Claxton Smith<br>Poca, WV            | A-2 | 650.0 | No design data submitted                |
| S371B | 3/13/13  | Essroc Ready Mix<br>Winfield, WV     | A-2 | 576.5 | Maintain current design cement factors  |
| S371C | 11/14/12 | Essroc Ready Mix<br>Huntington, WV   | A-2 | 783.3 | Maintain current design cement factors  |

|       |          |   |     |       |   |
|-------|----------|---|-----|-------|---|
| S383B | 11/1/12  | Cardinal Concrete<br>Ravenswood, WV       | A-2 | 726.3 | Maintain current design cement factors  |
| S383C | 11/1/12  | Cardinal Concrete<br>Parkersburg, WV      | A-2 | 768.3 | Maintain current design cement factors  |
| T014C | 9/3/11   | PCI Concrete<br>Martinsburg, WV           | B   | 675.5 | Maintain current design cement factors  |
| T014D | 9/7/11   | PCI Concrete<br>Williamsport, MD          | B   | 650.0 | No design data submitted  |
| T162A | 3/27/13  | Tri-Son Concrete<br>Bellaire, OH          | A-2 | 650.0 | No design data submitted  |
| T176A | 1/2/13   | The Wells Group<br>Wayne, WV              | A-2 | 650.0 | Maintain current design cement factors  |
| T184A | 3/4/13   | Thomas, Bennet, Hunter<br>Martinsburg, WV | A-2 | 731.1 | Class B 3000 w/GBFS (6.00 bags) reduce to 5.50 bags<br>Maintain current design cement factors |
| U017B | 11/15/12 | Boxley Materials<br>Bluefield, WV         | A-2 | 650.0 | No design data submitted  |
| V072B | 10/20/12 | Valley Brook Conc. #3<br>Robertsburg, WV  | A-2 | 650.0 | No design data submitted  |
| V072C | 10/17/12 | Valley Brook Conc. #1<br>Lakin, WV        | A-2 | 650.0 | No design data submitted  |
| W081A | 10/8/12  | Weirton Ice & Coal<br>Weirton, WV         | A-2 | 793.2 | Class B (6.00 bags) reduce to 5.50 bags   |
| W424A | 11/2/12  | The Wells Group<br>Cannonsburg, KY        | A-2 | 650.0 | Maintain current design cement factors  |
| W424B | 3/12/13  | The Wells Group<br>Louisa, KY             | A-2 | 650.0 | Maintain current design cement factors  |
| W431A | 11/22/12 | Wrightway Ready Mix<br>Holden, WV         | A-2 | 650.0 | No design data submitted  |